




















Sp. Shed No. 271, Phase-II, Dared, G.I.D.C., Jamnagar – 361004. Phone: + 91 – 288 – 2730811
E-mail: info@hindustanbrass.com Website: www.hindustanbrass.com

	Hex Coupling	Page 2
	Hex Reducer Coupling	Page 2
	Hex Reducer Bushing	Page 3
	Hex Cap Nut	Page 4
	Round Close Nipple	Page 4
	Round Nipple	Page 5
	Hex Nipple	Page 6
	Hex Reducing Nipple	Page 6
	Hex Head Plug	Page 7
	Hex Adapter	Page 7
	90° Union Elbow	Page 8
	Union Tee	Page 8
	Male Elbow	Page 9
	Male Branch Tee	Page 9
	Cross	Page 10
	Hose Barb To Male Pipe	Page 10




Hex Coupling



PART NO.	PIPE THREAD	HEX C		L		FLOW DIA D	
		In.	mm.	In.	mm.	In.	mm.
HBI 10011	1/8	0.437	14.30	0.75	19.00	0.328	8.35
HBI 10012	1/4	0.750	19.05	1.12	30.50	0.422	10.70
HBI 10013	3/8	0.875	22.22	1.12	30.50	0.562	14.30
HBI 10014	1/2	1.063	27.00	1.5	38.10	0.688	17.50
HBI 10015	3/4	1.375	34.92	1.53	38.85	0.900	22.85

Hex Reducer Coupling





PART NO.	1 PIPE THREAD	2 PIPE THREAD	HEX C		L		FLOW DIA I	
			In	Mm	In	Mm	In	Mm
HBI 10016	1/4	1/8	0.750	19.05	.970	24.65	.328	8.35
HBI 10017	3/8	1/4	0.875	22.22	1.160	29.45	.422	10.70
HBI 10018	1/2	1/4	1.063	27.00	1.280	32.50	.422	10.70
HBI 10019	1/2	3/8	1.063	27.00	1.380	35.05	.562	14.30
HBI 10020	3/4	3/8	1.375	34.92	1.320	33.50	.562	14.30
HBI 10021	3/4	1/2	1.375	34.92	1.500	38.10	.688	22.85



Sp. Shed No. 271, Phase-II, Dared, G.I.D.C., Jamnagar – 361004. Phone: + 91 – 288 – 2730811
E-mail: info@hindustanbrass.com Website: www.hindustanbrass.com


Hex Reducer Bushing



PART NO.	1 PIPE THREAD	2 PIPE THREAD	HEX C		L		FLOW. DIA. D	
			In	Mm	In	Mm	In	Mm
HBI 10022	1/8	1/4	0.437	14.28	.750	19.05	.328	8.35
HBI 10023	1/8	3/8	0.687	17.46	.750	19.05	.328	8.35
HBI 10024	1/4	3/8	0.750	19.05	.750	19.05	.422	10.70
HBI 10025	1/8	1/2	0.875	22.22	1.00	25.40	.328	8.35
HBI 10026	1/4	1/2	0.875	22.22	1.00	25.40	.422	10.70
HBI 10027	3/8	1/2	0.875	22.22	1.00	25.40	.562	14.30
HBI 10028	1/8	3/4	1.125	28.58	1.00	25.40	.328	8.35
HBI 10029	1/4	3/4	1.125	28.58	1.00	25.40	.422	10.70
HBI 10030	3/8	3/4	1.125	28.58	1.00	25.40	.562	14.30
HBI 10031	1/2	3/4	1.125	28.58	1.00	25.40	.688	22.85
HBI 10032	1/2	1	1.375	34.92	1.31	33.30	.688	22.85




Hex Cap Nut



PART NO.	PIPE THERD	HEX C		L	
		In	Mm	In	Mm
HBI 10033	1/8	0.437	14.28	0.500	12.70
HBI 10034	1/4	0.687	17.46	0.630	16.00
HBI 10035	3/8	0.812	20.63	0.630	16.00
HBI 10036	1/2	1.063	27.00	0.870	22.10


Round Close Nipple



PART NO.	PIPE THREAD	L		FLOW DIA D	
		In.	mm.	In.	mm.
HBI 10037	1/8	0.750	19.05	0.328	8.35
HBI 10038	1/4	0.880	25.35	0.422	10.70
HBI 10039	3/8	1.000	25.40	0.562	14.30
HBI 10040	1/2	1.130	28.70	0.688	17.50
HBI 10041	3/4	1.310	33.27	0.900	22.85




Round Nipple



PART NO.	PIPE THREAD	L		FOLW DIA. D	
		IN	MM	IN	MM
HBI 10042	1/8	1.500	38.10	.250	6.35
HBI 10043	1/4	1.500	38.10	.375	9.52
HBI 10044	3/8	1.500	38.10	.500	12.70
HBI 10045	1/2	1.500	38.10	.625	15.87
HBI 10046	1/8	2.000	50.40	.250	6.35
HBI 10047	1/4	2.000	50.40	.375	9.52
HBI 10048	3/8	2.000	50.40	.500	12.70
HBI 10049	1/2	2.000	50.40	.625	15.87
HBI 10050	1/8	2.500	63.50	.250	6.35
HBI 10051	1/4	2.500	63.50	.375	9.52
HBI 10052	3/8	2.500	63.50	.500	12.70
HBI 10053	1/2	2.500	63.50	.625	15.87
HBI 10054	1/8	3.000	76.20	.250	6.35
HBI 10055	1/4	3.000	76.20	.375	9.52
HBI 10056	3/8	3.000	76.20	.500	12.70
HBI 10057	1/2	3.000	76.20	.625	15.87
HBI 10058	1/8	3.500	88.90	.250	6.35
HBI 10059	1/4	3.500	88.90	.375	9.52
HBI 10060	3/8	3.500	88.90	.500	12.70
HBI 10061	1/2	3.500	88.90	.625	15.87




Hex Nipple



PART NO.	PIPE THREAD	HEX C		L		FLOW DIA D	
		In.	mm.	In.	mm.	In.	mm.
HBI 10062	1/8	0.437	11.10	0.970	24.63	0.220	5.58
HBI 10063	1/4	0.562	14.28	1.380	35.05	0.314	7.97
HBI 10064	3/8	0.687	17.46	1.410	35.80	0.440	11.17
HBI 10065	1/2	0.875	22.22	1.810	45.97	0.564	14.32
HBI 10066	3/4	1.063	27.00	1.810	45.97	0.752	19.10



Hex Reducing Nipple



PART NO.	1 PIPE THREAD	2 PIPE THREAD	HEX C		L		FLOW. DIA. D	
			In	Mm	In	Mm	In	Mm
HBI 10067	1/4	1/8	0.562	14.28	1.190	30.22	0.220	5.58
HBI 10068	3/8	1/8	0.687	17.46	1.220	30.98	0.220	5.58
HBI 10069	3/8	1/4	0.687	17.46	1.410	35.81	0.314	7.97
HBI 10070	1/2	1/4	0.875	22.22	1.620	41.14	0.314	7.97
HBI 10071	1/2	3/8	0.875	22.22	1.620	41.14	0.440	11.17
HBI 10072	3/4	1/2	1.063	27.00	1.800	45.72	0.564	14.32





Hex Head Plug



PART NO.	PIPE THREAD	HEX C		L	
		In.	mm.	In.	mm.
HBI 10073	1/8	0.437	11.10	0.560	14.22
HBI 10074	1/4	0.562	14.28	0.750	19.05
HBI 10075	3/8	0.687	17.46	0.780	19.81
HBI 10076	1/2	0.875	22.22	0.970	24.60
HBI 10077	3/4	1.063	27.00	1.063	27.00


Hex Adapter



PART NO.	1 PIPE THREAD	2 PIPE THREAD	HEX C		L		FLOW. DIA. D	
			In	Mm	In	Mm	In	Mm
HBI 10078	1/8	1/8	0.562	14.29	0.880	22.35	0.218	5.53
HBI 10079	1/4	1/8	0.750	19.05	1.060	26.92	0.218	5.53
HBI 10080	1/4	1/4	0.750	19.05	1.250	31.75	0.314	7.97
HBI 10081	3/8	1/8	0.875	22.22	1.100	27.94	0.218	5.53
HBI 10082	3/8	1/4	0.875	22.22	1.250	31.75	0.314	7.97
HBI 10083	3/8	3/8	0.875	22.22	1.250	31.75	0.440	11.17
HBI 10084	1/2	1/4	1.000	25.40	1.470	37.33	0.312	7.92
HBI 10085	1/2	3/8	1.063	27.00	1.470	37.33	0.440	11.17
HBI 10086	1/2	1/2	1.063	27.00	1.660	42.16	0.562	14.27
HBI 10087	3/4	3/8	1.375	34.92	1.500	38.10	0.440	11.17
HBI 10088	3/4	1/2	1.375	34.92	1.690	42.92	0.562	14.27
HBI 10089	3/4	3/4	1.375	34.92	1.690	42.92	0.751	19.07




90° Union Elbow



PART NO.	PIPE THREAD	M		FLOW DIA D.	
		In.	mm.	In.	mm.
HBI F 10090	1/8	0.560	14.22	0.328	8.33
HBI E 10091	1/8	0.550	13.97	0.328	8.33
HBI F 10092	1/4	0.810	20.57	0.422	10.72
HBI E 10093	1/4	0.780	19.81	0.422	10.72
HBI F 10094	3/8	0.840	21.33	0.562	14.27
HBI E 10095	3/8	0.840	21.33	0.563	14.30
HBI E 10096	1/2	1.090	27.68	0.687	17.45



Union Tee



PART NO.	1 PIPE THREAD	L		M		FLOW. DIA. D	
		In	Mm	In	Mm	In	Mm
HBI F 10097	1/8	1.120	28.45	0.560	14.22	0.328	8.33
HBI E 10098	1/8	1.060	26.92	0.530	13.46	0.328	8.33
HBI F 10099	1/4	1.380	35.05	0.690	17.52	0.422	10.72
HBI E 10100	1/4	1.520	38.60	0.760	19.30	0.422	10.72
HBI E 10101	3/8	1.680	42.67	0.840	21.33	0.562	14.27
HBI E 10102	1/2	2.140	54.35	1.070	27.18	0.687	17.45
HBI E 10103	3/4	2.280	57.91	1.140	28.95	0.900	22.86





Male Elbow



PART NO.	PIPE THREAD	M		FLOW DIA D	
		In.	mm.	In.	mm.
HBI 10104	1/8	0.710	18.03	0.220	5.68
HBI 10105	1/4	1.090	27.68	0.312	7.92
HBI 10106	3/8	1.090	27.68	0.406	10.30
HBI 10107	1/2	1.410	35.80	0.562	14.27



Male Branch Tee



PART NO.	1 PIPE THREAD	L		M		N		FLOW. DIA. D	
		In	Mm	In	Mm	In	Mm	In	Mm
HBI 10108	1/8	1.060	26.92	0.530	13.46	0.660	16.76	0.220	5.59
HBI 10110	1/4	1.520	38.60	0.760	19.30	0.910	23.11	0.314	7.97
HBI 10112	3/8	1.680	42.67	0.840	21.33	0.970	24.64	0.438	11.12
HBI 10113	1/2	2.180	55.37	1.090	27.68	1.260	32.00	0.592	15.04





Cross



PART NO.	PIPE THREAD	M		FLOW DIA D	
		In.	mm.	In.	mm.
HBI 10114	1/8	0.530	13.46	0.328	8.33
HBI 10115	1/4	0.750	19.05	0.421	10.70
HBI 10116	3/8	0.820	20.82	0.562	14.27
HBI 10117	1/2	1.070	27.18	0.688	17.47
HBI 10118	3/4	1.140	35.80	0.900	22.86

Hose Barb To Male Pipe



PART NO.	I.D.HOSE SIZE	PIPE THREAD	C HEX		L		M		O.D.		FLOW DIA. D	
			IN.	MM.	IN.	MM.	IN.	MM.	IN.	MM.	IN.	MM.
HBI 10120	1/4	1/8	0.437	11.10	1540	39.10	0.97	24.64	0.29	7.63	0.187	4.75
HBI 10121	1/4	1/4	0.563	14.30	1720	43.68	0.97	24.64	0.29	7.63	0.187	4.75
HBI 10122	1/4	3/8	0.687	17.46	1770	44.96	0.97	24.64	0.29	7.63	0.187	4.75
HBI 10123	5/16	1/8	0.437	11.10	1540	39.10	0.97	24.64	0.353	8.96	0.250	6.35
HBI 10124	5/16	1/4	0.563	14.30	1720	43.68	0.97	24.64	0.353	8.96	0.250	6.35
HBI 10125	5/16	3/8	0.687	17.46	1770	44.96	0.97	24.64	0.353	8.96	0.250	6.35
HBI 10126	3/8	1/8	0.437	11.10	1540	39.10	0.97	24.64	0.415	10.54	0.281	7.14
HBI 10127	3/8	1/4	0.563	14.30	1720	43.68	0.97	24.64	0.415	10.54	0.281	7.14
HBI 10128	3/8	3/8	0.687	17.46	1770	44.96	0.97	24.64	0.415	10.54	0.281	7.14